





# LINEA-IN20 EF/U7

## CREATING LIGHTING PATTERNS THANKS TO ANGULAR CONNECTORS

- recessed, lighting profile - dedicated to medium-voltage light sources
- continuous line of light (when using LED strip 120 P/m and white cover)
- angled connections illuminated
- 19 accessories available
- 3 mounting options of LED modules: thermic tape, LED module on a strip, additionally LED clamp
- maximum LED source width: 20 mm






## SIMILAR IN THE OFFER / PODOBNE W OFERCIE



# LINEA-IN20 EF/U7

- E** slide cover
- F** click cover
- U7**<sup>1</sup> U7 mounting plate
- U7**<sup>2</sup> cone U7 mounting plate
- U7**<sup>3</sup> rack U7 mounting plate



INDEX = 1 pc, length 2000 mm  
package = 10 pcs



○ white painted  
E4020001



● anodized  
E4020020



● black anodized  
E4020021



● raw aluminium  
E4020000

● max 20 mm

● recessed

Available lengths  
1000 mm, 2000 mm




## COVERS


**E slide cover**  
 colours: transparent, frosted, white  
 material: PC, PP, PP




**Note!** Dimensions of the space to install LED source



**E transparent**  
 A2040016




**E frosted**  
 A2040039




**E white**  
 A2040038

**F click cover**  
 colours: transparent, white  
 material: PMMA




**F transparent**  
 A2060016



**F white**  
 A2060038

**E7 click cover**  
 colour: white  
 material: PMMA




**E7 white**  
 C1080038





**E7 white ending**  
 C1840038

## ENDINGS

**LINEA-IN20 ending with hole**  
 colours: white, silver, black, grey  
 material: ABS




INDEX = 1 set  
 package of 10 sets = 20 pcs


-  white E4990001
-  silver E4990040
-  black E4990002
-  grey E4990022

## CLAMP

**LINEA20 LED clamp**  
 colour: white  
 material: painted steel, plastic




INDEX = 1 set  
 package of 10 sets = 20 pcs

-  white C6940001



## MOUNTINGS

**U7 mounting plate**  
 colour: inox  
 material: stainless steel




INDEX = 1 set  
 package of 10 sets = 20 pcs

U7 mounting plate

inox  
 inox **E4960019**


**cone U7 mounting plate**  
 colour: inox  
 material: stainless steel



cone U7 mounting plate

inox  
 inox **E4970019**


**rack U7 mounting plate**  
 colour: inox  
 material: stainless steel



rack U7 mounting plate

inox  
 inox **E4980019**

**spring U7 mounting plate**  
 colour: inox  
 material: stainless steel




INDEX = 1 pc

spring U7 mounting plate

inox  
 inox **E4880019s**

## CONNECTORS

**LINEA-IN20 connector 60 deg**  
 colours: white, anodized, black  
 material: aluminium, polycarbonate



INDEX = 1 set


connector 60 deg

white **E4890001s**

anodized **E4890020s**

black **E4890021s**

**LINEA-IN20 connector 90 deg**  
 colours: white, anodized, black  
 material: aluminium, polycarbonate



connector 90 deg

white **E4900001s**


anodized **E4900020s**

black **E4900021s**






## CONNECTORS

**LINEA-IN20 connector 90 deg bent**  
 colours: white, anodized, black  
 material: aluminium, polycarbonate




INDEX = 1 set




connector 90 deg bent

-  white E4910001s
-  anodized E4910020s
-  black E4910021s


**LINEA-IN20 connector 120 deg**  
 colours: white, anodized, black  
 material: aluminium, polycarbonate






connector 120 deg

-  white E4920001s
-  anodized E4920020s
-  black E4920021s


**LINEA-IN20 connector 135 deg**  
 colours: white, anodized, black  
 material: aluminium, polycarbonate




connector 135 deg  
 łącznik 135 st

-  white E4930001s
-  anodized E4930020s
-  black E4930021s


**LINEA-IN20 connector 180 deg**  
 colours: raw aluminium  
 material: aluminium, polycarbonate






connector 180 deg

-  raw aluminium E4940000s

**LINEA-IN20 connector 270 deg bent**  
 colours: white, anodized, black  
 material: aluminium, polycarbonate



connector 270 deg bent

-  white E4950001s
-  anodized E4950020s
-  black E4950021s

# LINEA-IN20 EF/U7

## CONNECTION POSSIBILITY MOŻLIWOŚCI ŁĄCZENIA



60°



90°



120°



135°



180°

### ANGULAR CONNECTORS


Thanks to five different angle connectors (60° / 90° / 120° / 135° / 180°) it is possible to create many various lighting systems - with no need to cut the profile at an angle.

Bent connectors allows to connect profiles in two planes, at two angles: 90° on the inside and 270° on the outside.

### ŁĄCZNIKI KĄTOWE

Dzięki łącznikom o pięciu różnych kątach (60° / 90° / 120° / 135° / 180°) możliwe jest tworzenie wielu różnych układów oświetlenia bez konieczności cięcia profilu pod skosem.

Łączniki gięte umożliwiają łączenie profili w dwóch płaszczyznach, pod dwoma kątami: wewnętrznym 90° i zewnętrznym 270°.



The component made of clear fabric provides secure connection, letting light through at the same time. Thanks to that, the luminaire can illuminate on the entire surface of the cover - even in the corners.

Element z przezroczystego tworzywa zapewnia stabilizację łączenia, jednocześnie przepuszczając światło. Dzięki temu oprawa może świecić na całej powierzchni klosza - również w rogach.

# LINEA-IN20 EF/U7

CONTINUOUS LIGHT OF LINE  
when using LED strip 120 P/m and white cover

CIĄGŁA LINIA ŚWIATŁA  
przy użyciu taśm 120 P/m oraz klosza mlecznego



